Room 1608, CAIHEJIAYE, Bulding, Jianggan District, Hangzhou, Zhejiang Province, China.

Telephone: 0086-571-86483271 Fax: 0086-571-86483272

### MATERIAL SAFFTY DATA SHEET

(MSDS)

Revision Date: 2016-01-10 SDS NO PRODUCT NAME: AMMONIUM PERSULPHATE VER:

1.Product Identification

**AMMONIUM PERSULPHATE** 

Synonyms: Ammonium Peroxydisulfate; Peroxydisulfuric Acid, Diammonium

Salt; Diammonium peroxydisulfate

2. Composition/Information on Ingredients

Ingredient CAS No Percent Hazardous

Ammonium Persulphate 7727-54-0 98 - 100% Yes

3. Hazards Identification

**Emergency Overview** 

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE BURNS TO SKIN AND EYES. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION.

**SAF-T-DATA**(tm) Ratings (Provided here for your convenience)

**Health Rating: 2 - Moderate (Life) Flammability Rating: 0 - None** 

**Reactivity Rating: 3 - Severe (Oxidizer)** 

**Contact Rating: 3 - Severe (Life)** 

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT

HOOD; PROPER GLOVES

**Storage Color Code: Yellow (Reactive)** 

**Potential Health Effects** 

**Inhalation:** 

May irritate the mucous membranes. May cause lung edema. Symptoms may include sore throat, shortness of breath, inflammation of nasal passages, coughing, and wheezing. Any exposure may cause an allergic reaction. Asthmalike symptoms and life-threatening shock may result.

**Ingestion:** 

Corrosive. May produce abdominal pain, nausea and vomiting.

**Skin Contact:** 

Corrosive. May cause skin burns.

**Eye Contact:** 

May cause severe irritation and pain.

**Chronic Exposure:** 

Room 1608, CAIHEJIAYE, Bulding, Jianggan District, Hangzhou, Zhejiang Province, China.

Telephone: 0086-571-86483271 Fax: 0086-571-86483272

Prolonged skin contact may cause an allergic reaction with dermatitis.

**Aggravation of Pre-existing Conditions:** 

Persons with impaired respiratory function may be more susceptible to the effects of the substance.

Label elment

**PICTOGRAM** 



WARNING: DANGEROUS

#### 4. First Aid Measures

**Inhalation:** 

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion:** 

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Skin Contact:** 

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

**Eve Contact:** 

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

#### 5. Fire Fighting Measures

Fire:

Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Heating or contact with water releases oxygen which may intensify combustion in an existing fire.

**Explosion:** 

An explosion hazard when mixed with finely powdered organic matter, metal powder, or reducing agents.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire. Do not use water.

**Special Information:** 

In the event of a fire, wear full protective clothing and NIOSH-approved self-

Room 1608, CAIHEJIAYE, Bulding, Jianggan District, Hangzhou, Zhejiang Province, China.

Telephone: 0086-571-86483271 Fax: 0086-571-86483272

contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Sealed containers may rupture when heated.

#### 6. Accidental Release Measures

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

#### 7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Separate from combustibles, organic or other readily oxidizable materials. Avoid storage on wood floors. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

#### 8. Exposure Controls/Personal Protection

Airborne Exposure Limits: - ACGIH Threshold Limit

Value (TLV):0.1 mg/m3 (TWA) as persulfate

Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

**Personal Respirators (NIOSH Approved):** 

For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

**Skin Protection:** 

Wear protective gloves and clean body-covering clothing.

**Eye Protection:** 

Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

Room 1608, CAIHEJIAYE, Bulding, Jianggan District, Hangzhou, Zhejiang Province, China.

Telephone: 0086-571-86483271 Fax: 0086-571-86483272

### 9. Physical and Chemical Properties

**Appearance: White crystals.** 

Odor: Odorless.

**Solubility: 80 g/100 ml water @ 25C (77F)** 

Specific Gravity: 1.98 @ 20C/4C

pH: No information found.

% Volatiles by volume @ 21C (70F): 0

**Boiling Point: Not applicable.** 

Melting Point: 120C (248F) Decomposes.

Vapor Density (Air=1): No information found.

Vapor Pressure (mm Hg): No information found.

**Evaporation Rate (BuAc=1): No information found.** 

10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage. Stability decreases in the presence of moisture.

Hazardous Decomposition Products: Decomposed by moisture to form oxygen and ozone. Burning may produce nitrogen oxides, sulfur oxides, and sulfuric acid. Hazardous Polymerization: Will not occur.

Incompatibilities: Reducing agents, organic material, sodium peroxide, water and powdered metals especially aluminum.

Conditions to Avoid: Moisture, combustible materials and incompatibles.

### 11. Toxicological Information

Oral rat LD50: 689 mg/kg

-----\Cancer Lists\-----

---NTP Carcinogen---

Ingredient Known Anticipated IARC Categor

**Ammonium Persulfate (7727-54-0)** No

No

None

12. Ecological Information

**Environmental Fate: No information found. Environmental Toxicity: No information found.** 

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

### 14. Transport Information

Room 1608, CAIHEJIAYE, Bulding, Jianggan District, Hangzhou, Zhejiang Province, China.

Telephone: 0086-571-86483271 Fax: 0086-571-86483272

**Proper Shipping Name: AMMONIUM PERSULPHATE** 

Hazard Class: 5.1 UN/NA: UN1444 Packing Group: III

Information reported for product/size: 12KG

15. Regulatory Information

The following laws and regulations and standards for the safe use of chemicals, storage, transportation, loading and unloading, classification and marking and other aspects have made the corresponding provisions:

The safety law of the people's Republic of China (the president of the people's Republic of China, issued on August 31, 2014, 13, November 1, 2014);

Decree No. 52 of the president of the people's Republic of China on occupational disease prevention and control law (revised in 2012), since December 31, 2011;

Law of the people's Republic of China on environmental protection (revised at the eighth meeting of the Standing Committee of the Twelfth National People's Congress on April 24, 2014);

Regulations on the safety management of hazardous chemicals (591st of the State Council) issued in March 2, 2011, since December 1, 2012, the implementation of;

The safety production license Ordinance (adopted at the thirty-fourth executive meeting of the State Council in January 7, 2004);

Classification and marking of commonly used dangerous chemicals (13690-92 GB);

List of hazardous chemicals (2015 edition).

16. Other Information

NFPA Ratings: Health: 2 Flammability: 0 Reactivity: 1 Other: Oxidizer

AMMONIUM PERSULPHATE

Room 1608, CAIHEJIAYE,Bulding, Jianggan District, Hangzhou, Zhejiang Province, China.

Telephone: 0086-571-86483271 Fax: 0086-571-86483272

### **Label Hazard Warning:**

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE BURNS TO SKIN AND EYES. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION.

**Label Precautions:** 

Keep from contact with clothing and other combustible materials.

Do not get in eyes, on skin, or on clothing.

Do not breathe dust.

Store in a tightly closed container.

Use with adequate ventilation.

Wash thoroughly after handling.

**Label First Aid:** 

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. In all cases get medical attention immediately.

**Product Use:** 

Laboratory Reagent.

**Revision Date: 2016-01-10** 

Revision claim. The SDS in accordance with the "chemical safety technical specifications and project sequence" (GB/T16483-2008) standards and the state promulgated the GHS classification directory.

#### Disclaimer of liability:

My unit in the MSDS in a comprehensive way to provide all the relevant information, but we do not guarantee its absolute universality and accuracy. This MSDS is only for those who have received the appropriate professional training and use of the product of the relevant personnel to provide information on the safety of the product. Access to the MSDS of the individual users, under special conditions of use, we must make an independent judgment on the suitability of the MSDS. The unit is not responsible for any damage caused by the use of the MSDS in a special occasion.